

## DESCRIPTION

FiberForce 150 is a monofilament micro fiber manufactured from 100% virgin homopolymer polypropylene resins. FiberForce 150 fibers are used primarily as plastic shrinkage crack-control reinforcement in concrete. The finishability attributes associated with this technology (limited to no exposed surface fibers) make FiberForce 150 a great choice in residential applications.

## APPLICATIONS

- Slabs-on-ground
- Driveways and sidewalks
- Topping and overlay slabs
- Decks and patios
- Shotcrete
- Precast
- Water retention tanks
- Pool decks and Stucco

## PHYSICAL PROPERTIES

Material	100% Virgin Polypropylene
Absorption	None
Specific Gravity	0.91
Alkali, Salt, and Acid Resistance	High
Melting Point	320°F (160 °C)
Electrical Conductivity	Low
Standard Length	0.75 in (19 mm)
Other Available Lengths	0.25 in (6.4 mm), 0.5 in (12.7 mm) and Multi-Length

## PACKING & SHIPPING

FiberForce 150 is packaged in 0.75 lb, 1.0 lb, 1.5 lb bags then palletized for shipment (custom bag sizes are available). Pallets and boxes are labeled with the fiber technology and bag weight.

Store material in a dry environment. Avoid storing in direct sunlight.

In-House Professional Engineers are available for product specification guidance and design support. FiberForce Territory Managers are available for on-site support and guidance related to any FiberForce technologies.

## PRODUCT APPROVALS & COMPLIANCE WITH INDUSTRY STANDARDS

- ASTM C1116: Section 4.1.3 Type III and Note 2
- ASTM D7508
- UL Classified
- ICC ES AC32 Section 3.1.1
- ICC ES AC32 Section 3.1.2
- ICC ESR-1699



### WARRANTY AND LIMITATION OF LIABILITY

As used herein, the term "FiberForce" shall refer to FiberForce by ABC Polymer Industries, LLC and its subsidiaries.

The terms of FiberForce's invoices shall be governed by and construed in accordance with the laws of the State of Alabama.

FiberForce's fibers are intended to reduce plastic shrinkage cracking. FiberForce's fibers should not be used as structural reinforcement. FiberForce by ABC Polymer Industries, LLC warrants that the product sold hereunder is of merchantable quality and conforms to the seller's standards and specifications. The seller's sole liability for claim shall be limited to replacement of defective or non-conforming product. In no event shall the seller be liable for any special, incidental, consequential, or exemplary damages. FiberForce by ABC Polymer Industries, LLC recommends that each user determine the suitability of the product(s) for their particular application.

FiberForce engineering and sales personnel are available to assist in selecting the appropriate fiber for a given specification / application. Said personnel will provide an overview of anticipated performance based upon experience and testing data. FiberForce personnel will provide recommendations, but are not the final arbiters on design. FiberForce personnel will provide on-site support where our products are utilized and when deemed necessary, but will not participate in the supervision of any project. FiberForce's responsibility is to support our customers and to provide our customers with the best materials and assistance in marketing these products.

© 2021 FiberForce by ABC Polymer Industries, LLC

